

Parallel Comparison Tree Model

A parallel comparison tree (with parallelism p) is a 3^p -ary tree.

- ▶ each internal node represents a set of p comparisons btw. p pairs (not necessarily distinct)
- ▶ a leaf v corresponds to a unique permutation that is valid for all the comparisons on the path from the root to v
- ▶ the number of parallel steps is the height of the tree

Parallel Comparison Tree Model

A parallel comparison tree (with parallelism p) is a 3^p -ary tree.

- ▶ each internal node represents a set of p comparisons btw. p pairs (not necessarily distinct)
- ▶ a leaf v corresponds to a unique permutation that is valid for all the comparisons on the path from the root to v
- ▶ the number of parallel steps is the height of the tree

Parallel Comparison Tree Model

A parallel comparison tree (with parallelism p) is a 3^p -ary tree.

- ▶ each internal node represents a set of p comparisons btw. p pairs (not necessarily distinct)
- ▶ a leaf v corresponds to a unique permutation that is valid for all the comparisons on the path from the root to v
- ▶ the number of parallel steps is the height of the tree

Comparison PRAM

A comparison PRAM is a PRAM where we can only compare the input elements;

- ▶ we cannot view them as strings
- ▶ we cannot do calculations on them

A lower bound for the comparison tree with parallelism p directly carries over to the comparison PRAM with p processors.

Comparison PRAM

A comparison PRAM is a PRAM where we can only compare the input elements;

- ▶ we cannot view them as strings
- ▶ we cannot do calculations on them

A lower bound for the comparison tree with parallelism p directly carries over to the comparison PRAM with p processors.

Comparison PRAM

A comparison PRAM is a PRAM where we can only compare the input elements;

- ▶ we cannot view them as strings
- ▶ we cannot do calculations on them

A lower bound for the comparison tree with parallelism p directly carries over to the comparison PRAM with p processors.

Comparison PRAM

A comparison PRAM is a PRAM where we can only compare the input elements;

- ▶ we cannot view them as strings
- ▶ we cannot do calculations on them

A lower bound for the comparison tree with parallelism p directly carries over to the comparison PRAM with p processors.

A Lower Bound for Searching

Theorem 1

Given a sorted table X of n elements and an element y . Searching for y in X requires $\Omega\left(\frac{\log n}{\log(p+1)}\right)$ steps in the parallel comparison tree with parallelism $p < n$.

A Lower Bound for Maximum

Theorem 2

A graph G with m edges and n vertices has an independent set on at least $\frac{n^2}{2m+n}$ vertices.

base case ($n = 1$)

- ▶ The only graph with one vertex has $m = 0$, and an independent set of size 1.

A Lower Bound for Maximum

Theorem 2

A graph G with m edges and n vertices has an independent set on at least $\frac{n^2}{2m+n}$ vertices.

base case ($n = 1$)

- ▶ The only graph with one vertex has $m = 0$, and an independent set of size 1.

A Lower Bound for Maximum

Theorem 2

A graph G with m edges and n vertices has an independent set on at least $\frac{n^2}{2m+n}$ vertices.

base case ($n = 1$)

- ▶ The only graph with one vertex has $m = 0$, and an independent set of size 1.

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

induction step ($1, \dots, n \rightarrow n + 1$)

- ▶ Let G be a graph with $n + 1$ vertices, and v a node with minimum degree (d).
- ▶ Let G' be the graph after deleting v and its adjacent vertices in G .
- ▶ $n' = n - (d + 1)$
- ▶ $m' \leq m - \frac{d}{2}(d + 1)$ as we remove $d + 1$ vertices, each with degree at least d
- ▶ In G' there is an independent set of size $((n')^2 / (2m' + n'))$.
- ▶ By adding v we obtain an independent set of size

$$1 + \frac{(n')^2}{2m' + n'} \geq \frac{n^2}{2m + n}$$

A Lower Bound for Maximum

Theorem 3

Computing the maximum of n elements in the comparison tree requires $\Omega(\log \log n)$ steps whenever the degree of parallelism is $p \leq n$.

Theorem 4

Computing the maximum of n elements requires $\Omega(\log \log n)$ steps on the comparison PRAM with n processors.

A Lower Bound for Maximum

Theorem 3

Computing the maximum of n elements in the comparison tree requires $\Omega(\log \log n)$ steps whenever the degree of parallelism is $p \leq n$.

Theorem 4

Computing the maximum of n elements requires $\Omega(\log \log n)$ steps on the comparison PRAM with n processors.

An adversary can specify the input such that at the end of the $(i + 1)$ -st step the maximum lies in a set C_{i+1} of size s_{i+1} such that

- ▶ no two elements of C_{i+1} have been compared

- ▶ $s_{i+1} \geq \frac{s_i^2}{2p+c_i}$

An adversary can specify the input such that at the end of the $(i + 1)$ -st step the maximum lies in a set C_{i+1} of size s_{i+1} such that

- ▶ no two elements of C_{i+1} have been compared
- ▶ $s_{i+1} \geq \frac{s_i^2}{2p+c_i}$

Theorem 5

The selection problem requires $\Omega(\log n / \log \log n)$ steps on a comparison PRAM.

not proven yet

A Lower Bound for Merging

The (k, s) -merging problem, asks to merge k pairs of subsequences A^1, \dots, A^k and B^1, \dots, B^k where we know that all elements in $A^i \cup B^i$ are smaller than elements in $A^j \cup B^j$ for $(i < j)$. Further $|A_i|, |B_i| \geq s$.

A Lower Bound for Merging

Lemma 6

Suppose we are given a parallel comparison tree with parallelism p to solve the (k, s) merging problem. After the first step an adversary can specify the input such that an arbitrary (k', s') merging problem has to be solved, where

$$k' = \frac{3}{4}\sqrt{pk}$$

$$s' = \frac{s}{4}\sqrt{\frac{k}{p}}$$

A Lower Bound for Merging

Partition A^i s and B^i s into blocks of length roughly s/ℓ ; hence ℓ blocks.

Define an $\ell \times \ell$ binary matrix M^i , where M^i_{xy} is 0 iff the parallel step **did not** compare an element from A^i_x with an element from B^i_y .

The matrix has $2\ell - 1$ diagonals.

A Lower Bound for Merging

Partition A^i s and B^i s into blocks of length roughly s/ℓ ; hence ℓ blocks.

Define an $\ell \times \ell$ binary matrix M^i , where M^i_{xy} is 0 iff the parallel step **did not** compare an element from A^i_x with an element from B^i_y .

The matrix has $2\ell - 1$ diagonals.

A Lower Bound for Merging

Partition A^i s and B^i s into blocks of length roughly s/ℓ ; hence ℓ blocks.

Define an $\ell \times \ell$ binary matrix M^i , where M^i_{xy} is 0 iff the parallel step **did not** compare an element from A^i_x with an element from B^i_y .

The matrix has $2\ell - 1$ diagonals.

Choose for every i the diagonal of M^i that has most zeros.

Pair all $A_{j+d_i}^i, B_j^i$, (where $d_i \in \{-(\ell - 1), \dots, \ell - 1\}$ specifies the chosen diagonal) for which the entry in M^i is zero.

We can choose value s.t. elements for the j -th pair along the diagonal are **all** smaller than for the $(j + 1)$ -th pair.

Hence, we get a (k', s') problem.

Choose for every i the diagonal of M^i that has most zeros.

Pair all $A_{j+d_i}^i, B_j^i$, (where $d_i \in \{-(\ell-1), \dots, \ell-1\}$ specifies the chosen diagonal) for which the entry in M^i is zero.

We can choose value s.t. elements for the j -th pair along the diagonal are all smaller than for the $(j+1)$ -th pair.

Hence, we get a (k', s') problem.

Choose for every i the diagonal of M^i that has most zeros.

Pair all $A_{j+d_i}^i, B_j^i$, (where $d_i \in \{-(\ell - 1), \dots, \ell - 1\}$ specifies the chosen diagonal) for which the entry in M^i is zero.

We can choose value s.t. elements for the j -th pair along the diagonal are all smaller than for the $(j + 1)$ -th pair.

Hence, we get a (k', s') problem.

Choose for every i the diagonal of M^i that has most zeros.

Pair all $A_{j+d_i}^i, B_j^i$, (where $d_i \in \{-(\ell - 1), \dots, \ell - 1\}$ specifies the chosen diagonal) for which the entry in M^i is zero.

We can choose value s.t. elements for the j -th pair along the diagonal are **all** smaller than for the $(j + 1)$ -th pair.

Hence, we get a (k', s') problem.

Choose for every i the diagonal of M^i that has most zeros.

Pair all $A_{j+d_i}^i, B_j^i$, (where $d_i \in \{-(\ell - 1), \dots, \ell - 1\}$ specifies the chosen diagonal) for which the entry in M^i is zero.

We can choose value s.t. elements for the j -th pair along the diagonal are **all** smaller than for the $(j + 1)$ -th pair.

Hence, we get a (k', s') problem.

How many pairs do we have?

- ▶ there are $k\ell$ blocks in total
- ▶ there are $k \cdot \ell^2$ matrix entries in total
- ▶ there are at least $k \cdot \ell^2 - p$ zeros.
- ▶ choosing a random diagonal (same for every matrix M^i) hits at least

$$\frac{k\ell^2 - p}{2\ell - 1} \geq \frac{k\ell}{2} - \frac{p}{2\ell}$$

zeroes.

- ▶ Choosing $\ell = \lceil 2\sqrt{p/k} \rceil$ gives

$$k' \geq \frac{3}{4}\sqrt{pk} \text{ and } s' = \lfloor \frac{s}{\ell} \rfloor \geq \frac{s}{4\sqrt{p/k}} = \frac{s}{4}\sqrt{\frac{k}{p}}$$

where we assume $s \geq 6\sqrt{p/k}$.

How many pairs do we have?

- ▶ there are $k\ell$ blocks in total
- ▶ there are $k \cdot \ell^2$ matrix entries in total
- ▶ there are at least $k \cdot \ell^2 - p$ zeros.
- ▶ choosing a random diagonal (same for every matrix M^i) hits at least

$$\frac{k\ell^2 - p}{2\ell - 1} \geq \frac{k\ell}{2} - \frac{p}{2\ell}$$

zeroes.

- ▶ Choosing $\ell = \lceil 2\sqrt{p/k} \rceil$ gives

$$k' \geq \frac{3}{4}\sqrt{pk} \text{ and } s' = \lfloor \frac{s}{\ell} \rfloor \geq \frac{s}{4\sqrt{p/k}} = \frac{s}{4}\sqrt{\frac{k}{p}}$$

where we assume $s \geq 6\sqrt{p/k}$.

How many pairs do we have?

- ▶ there are $k\ell$ blocks in total
- ▶ there are $k \cdot \ell^2$ matrix entries in total
- ▶ there are at least $k \cdot \ell^2 - p$ zeros.
- ▶ choosing a random diagonal (same for every matrix M^i) hits at least

$$\frac{k\ell^2 - p}{2\ell - 1} \geq \frac{k\ell}{2} - \frac{p}{2\ell}$$

zeroes.

- ▶ Choosing $\ell = \lceil 2\sqrt{p/k} \rceil$ gives

$$k' \geq \frac{3}{4}\sqrt{pk} \text{ and } s' = \lfloor \frac{s}{\ell} \rfloor \geq \frac{s}{4\sqrt{p/k}} = \frac{s}{4}\sqrt{\frac{k}{p}}$$

where we assume $s \geq 6\sqrt{p/k}$.

How many pairs do we have?

- ▶ there are $k\ell$ blocks in total
- ▶ there are $k \cdot \ell^2$ matrix entries in total
- ▶ there are at least $k \cdot \ell^2 - p$ zeros.
- ▶ choosing a random diagonal (same for every matrix M^i) hits at least

$$\frac{k\ell^2 - p}{2\ell - 1} \geq \frac{k\ell}{2} - \frac{p}{2\ell}$$

zeroes.

- ▶ Choosing $\ell = \lceil 2\sqrt{p/k} \rceil$ gives

$$k' \geq \frac{3}{4}\sqrt{pk} \text{ and } s' = \lfloor \frac{s}{\ell} \rfloor \geq \frac{s}{4\sqrt{p/k}} = \frac{s}{4}\sqrt{\frac{k}{p}}$$

where we assume $s \geq 6\sqrt{p/k}$.

How many pairs do we have?

- ▶ there are $k\ell$ blocks in total
- ▶ there are $k \cdot \ell^2$ matrix entries in total
- ▶ there are at least $k \cdot \ell^2 - p$ zeros.
- ▶ choosing a random diagonal (same for every matrix M^i) hits at least

$$\frac{k\ell^2 - p}{2\ell - 1} \geq \frac{k\ell}{2} - \frac{p}{2\ell}$$

zeroes.

- ▶ Choosing $\ell = \lceil 2\sqrt{p/k} \rceil$ gives

$$k' \geq \frac{3}{4}\sqrt{pk} \text{ and } s' = \lfloor \frac{s}{\ell} \rfloor \geq \frac{s}{4\sqrt{p/k}} = \frac{s}{4}\sqrt{\frac{k}{p}}$$

where we assume $s \geq 6\sqrt{p/k}$.

Lemma 7

Let $T(k, s, p)$ be the number of parallel steps required on a comparison tree to solve the (k, s) merging problem. Then

$$T(k, p, s) \geq \frac{1}{4} \log \frac{\log \frac{p}{k}}{\log \frac{p}{ks}}$$

provided that $p \geq 2ks$ and $p \leq ks^2/36$

Induction Step:

Assume that

$$T(k', s', p) \geq \frac{1}{4} \log \frac{\log \frac{p}{k'}}{\log \frac{p}{k' s'}}$$

Induction Step:

Assume that

$$\begin{aligned} T(k', s', p) &\geq \frac{1}{4} \log \frac{\log \frac{p}{k'}}{\log \frac{p}{k' s'}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{4}{3} \sqrt{\frac{p}{k}}}{\log \frac{16}{3} \frac{p}{ks}} \end{aligned}$$

Induction Step:

Assume that

$$\begin{aligned} T(k', s', p) &\geq \frac{1}{4} \log \frac{\log \frac{p}{k'}}{\log \frac{p}{k' s'}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{4}{3} \sqrt{\frac{p}{k}}}{\log \frac{16}{3} \frac{p}{k s}} \\ &\geq \frac{1}{4} \log \frac{\frac{1}{2} \log \frac{p}{k}}{7 \log \frac{p}{k s}} \end{aligned}$$

Induction Step:

Assume that

$$\begin{aligned}T(k', s', p) &\geq \frac{1}{4} \log \frac{\log \frac{p}{k'}}{\log \frac{p}{k's'}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{4}{3} \sqrt{\frac{p}{k}}}{\log \frac{16}{3} \frac{p}{ks}} \\ &\geq \frac{1}{4} \log \frac{\frac{1}{2} \log \frac{p}{k}}{7 \log \frac{p}{ks}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{p}{k}}{\log \frac{p}{ks}} - 1\end{aligned}$$

Induction Step:

Assume that

$$\begin{aligned}T(k', s', p) &\geq \frac{1}{4} \log \frac{\log \frac{p}{k'}}{\log \frac{p}{k's'}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{4}{3} \sqrt{\frac{p}{k}}}{\log \frac{16}{3} \frac{p}{ks}} \\ &\geq \frac{1}{4} \log \frac{\frac{1}{2} \log \frac{p}{k}}{7 \log \frac{p}{ks}} \\ &\geq \frac{1}{4} \log \frac{\log \frac{p}{k}}{\log \frac{p}{ks}} - 1\end{aligned}$$

This gives the induction step.

Theorem 8

Merging requires at least $\Omega(\log \log n)$ time on a CRCW PRAM with n processors.